

21020



FORD RWD F-SERIES TRUCK COIL SPRING BOLT

When installing coil spring spacers on RWD Ford trucks, often times the existing bolts are not long enough. This 3/4" replacement bolt is 10" long, longer than the OE bolt. It will provide plenty of bolt length to allow installation of the nut when reassembling the suspension. This kit provides both the bolt and the nut.

Coil Spring Stabilizers

Proper alignment is impossible unless coil springs are operating at originally designed height.

Service Tips – Sometimes the front stabilizer may rub against the spring well housing. If this situation occurs, the stabilizer must be installed from the inside of the coil springs. Two sizes of short-nosed stabilizers are available: **24701** (a "short-nosed" **24700**); **24751** (a "short-nosed" **24750**). Two stabilizers are recommended per coil spring (no more, no less). 4 per pack.

Due to the curvature of some springs, two sizes may be required for the same spring (Example: 24700 on inside of coil, 24750 on outside). When measuring and installing stabilizers, one space should be skipped between coils.

SMALL DIAMETER = .58 INCHES LARGE DIAMETER = .63 INCHES


Stabilizer Heights – Narrow units for small diameter (.58") coil springs.

STBLZR. NO.	HEIGHT ("A")	STBLZR. NO.	HEIGHT ("A")	STBLZR. NO.	HEIGHT ("A")
24640	5/8"	24690	7/8"	24740	1-1/4"
		24790	1-1/2"		

Stabilizer Heights – Regular units for average diameter (.63") coil springs.

STBLZR. NO.	HEIGHT ("A")	STBLZR. NO.	HEIGHT ("A")	STBLZR. NO.	HEIGHT ("A")
24650	5/8"	24751	1-1/4" - Short Nose	24950	2-1/2"
24700	7/8"	24800	1-1/2"	24960	1"
24701	7/8" - Short Nose	24850	1-3/4"	24970	1-1/4"
24750	1-1/4"	24900	2"		


COIL SPACERS



Coil Spring Spacers

PROPER ALIGNMENT REQUIRES CORRECT SPRING HEIGHT

Coil spacers come in various thickness for front and rear coil springs on most cars and trucks. Coil spacers allow shock absorbers to operate through their normal range for longer life and proper response ratios. Spacers restore car trim height for correct front end component relationships, and for improved ride and appearance. They improve stability. When installed in front, car height is raised approximately 2-1/2 to 3 times spacer thickness. Engine weight must be considered. Rear installation on housing raises vehicle approximately 1-1/4 to 1-1/2 times spacer thickness. These spacers are made of aluminum and include one per package.



Make/Model	Year	Top or Bottom	Front					Rear			Make/Model	Year	Top or Bottom	Front					Rear		
			3/8"	1/2"	5/8"	3/4"	1"	1/2"	1"	1-1/2"				3/8"	1/2"	5/8"	3/4"	1"	1/2"	1"	1-1/2"
AMC																					
Ambassador	67-74	B						1621	1622	1620	Apollo	73-74	B	1102	1103	1104	1105	1106			
	71-74	T	1502	1503	1504	1505	1506					75	B	1702	1703	1704	1705	1706			
American	64-69	T				2012	2013				Centurion	71-73	B	1702	1703	1704	1705	1706			
Eagle	80-87	T	1502	1503	1504	1505	1506					71-73	T or B						1621	1622	1620
Gremlin/Spirit	71-83	T	1502	1503	1504	1505	1506				Century RWD	73-76	T or B						1621	1622	1620
Hornet/Concord	72-83	T	1502	1503	1504	1505	1506					73-81	B	1702	1703	1704	1705	1706			
Javelin	68-70	T				2012	2013					77-81	T or B						1621	1627	1628
	71-74	T	1502	1503	1504	1505	1506				Century FWD	82-96	B	1102	1103	1104	1105	1106			
Matador	67-78	B	1502	1503	1504	1505	1506					82-96	T						1621	1627	1628
	72-78	B						1621	1622	1620											
Pacer	75-80	B	1702	1703	1704	1705	1706														

Coil Spring Spacers

Coil Spring Spacers Cars/Vans

Make/Model	Year	Top or Bottom	Front				Rear			Make/Model	Year	Top or Bottom	Front				Rear				
			3/8"	1/2"	5/8"	3/4"	1"	1/2"	1"				1-1/2"	3/8"	1/2"	5/8"	3/4"	1"	1/2"	1"	1-1/2"
BUICK (cont.)									CHEVROLET												
Electra/	39-64	B						1602	1603	Beretta	82-94	B							1621	1627	1628
LeSabre	39-84	B	1702	1703	1704	1705	1706			Camaro	67-69	B	1102	1103	1104	1105	1106				
	54-64	T	2006	2007							70-92	B	1702	1703	1704	1705	1706				
	65-76	T or B						1621	1622	1620		82-97	B						1621	1627	1628
	77-84	T or B						1621	1627	1628	Cavalier	82-94	B						1621	1627	1628
Station	79-89	T or B						1621	1627	1628		83-94	B		1303						
Wagon Only	84-94	B						2008	2009-3/4		Celebrity	82-90	B	1102	1103	1104	1105	1106			
Special	64-66	B							1602	1603		82-90	T						1621	1627	1628
Skylark/	64-72	B	1102	1103	1104	1105	1106				Chevelle/	64-66	B							1602	1603
Somerset	67-72	T or B						1621	1622	1620	Malibu	64-72	B	1102	1103	1104	1105	1106			
	75-79	B	1702	1703	1704	1705	1706					67-76	T or B						1621	1622	1620
	80-85	B	1102	1103	1104	1105	1106					73-83	B	1702	1703	1704	1705	1706			
	80-85	T						1621	1627	1628		77-83	T or B						1621	1627	1628
	86-90	B		1303				1621	1627	1628	Chevette	76-87	B		1303				1103	1106	
	91-92	B		1303				1621				76-87	T						2013		
Regal RWD	73-76	T or B						1621	1622	1620	Belair/	55-57	B	1102	1103	1104	1105	1106			
	73-87	B	1702	1703	1704	1705	1706				Caprice/	58-64	T or B	1502	1503	1504	1505	1506	1503	1506	
	77-87	T or B						1621	1627	1628	Chevrolet/	65-70	B	1512	1513	1514	1515	1516			
Riviera	79-85	T						2008	2009-3/4		Impala	65-70	T						1703	1706	
Roadmaster	91-96	B	1702	1703	1704	1705	1706					71-76	T or B					1621	1622	1620	
	91-96	T						1621	1627	1628		71-96	B	1702	1703	1704	1705	1706			
Skyhawk RWD	75-80	B	1102	1103	1104	1105	1106					77-96	T or B					1621	1627	1628	
	75-80	B						1621	1627	1628	Chevy II/	62-67	T	1502	1503	1504	1505	1506			
Skyhawk FWD	82-89	T						1621	1627	1628	Nova RWD	68-74	B	1102	1103	1104	1105	1106			
	83-88	B		1303								75-79	B	1702	1703	1704	1705	1706			
Skylark RWD	64-66	B						1601	1602	1603	Citation	80-85	B	1102	1103	1104	1105	1106			
	64-72	B	1102	1103	1104	1105	1106					80-85	T						1621	1622	1620
	67-72	T or B						1621	1622	1620	Corsica	87-94	B						1621	1627	1628
	75-79	B	1702	1703	1704	1705	1706					87-96	B		1303						
Skylark FWD	80-85	B	1102	1103	1104	1105	1106					95-96	T						2008	2009-3/4	
	80-94	T						1621	1627	1628	Corvette	63-82	B	1702	1703	1704	1705	1706			
	86-96	B		1303							Laguna	74-76	B	1702	1703	1704	1705	1706			
	95-96	T						2008	2009-3/4			74-76	T or B						1621	1622	1620
Special RWD	64-66	B							1602	1603	Monte Carlo	70-72	B	1102	1103	1104	1105	1106			
	64-69	B	1102	1103	1104	1105	1106					70-76	T or B						1621	1622	1620
CADILLAC																					
Allante	87-88	B	1702	1703	1704	1705	1706					73-88	B	1702	1703	1704	1705	1706			
Brougham	79-92	B	1702	1703	1704	1705	1706					77-88	T or B						1621	1627	1628
	79-92	T or B						1621	1627	1628	Monza	75-81	T	1102	1103	1104	1105	1106			
Calais	65-76	B	1702	1703	1704	1705	1706					75-81	B						1621	1627	1628
	65-76	T						1621	1622	1620	Nova FWD	85-88	B	1702	1703	1704	1705	1706			
Cimarron	82-86	B						1621	1627	1628	Spectrum	86-89	B	1702	1703	1704	1705	1706			
	83-86	B		1303								86-89	T						1621	1627	1628
Deville RWD	54-71	T	2006	2007				1621	1622	1620	Vega	71-74	B	1102	1103	1104	1105	1106			
	64-76	T or B						1621	1622	1620		71-77	B						1621	1627	1628
	65-84	B	1702	1703	1704	1705	1706					75-77	T	1102	1103	1104	1105	1106			
	77-84	T or B						1621	1627	1628	CHRYSLER										
Deville FWD	85-93	B						2008	2009-3/4		Laser	85-87	B						2012-3/4	2013	
Eldorado	74-78	T or B						1621	1627	1628	LeBaron/GTS	82-94	B						2012-3/4	2013	
	79-85	B						2008	2009-3/4		New Yorker	83-93	B						2012-3/4	2013	
Fleetwood	54-71	T	2006	2007							E Class	83-93	B						2012-3/4	2013	
RWD	65-76	T or B						1621	1622	1620	DODGE										
	65-96	B	1702	1703	1704	1705	1706				400	82-84	B						2012-3/4	2013	
	77-96	T or B						1621	1627	1628	600	83-88	B						2012-3/4	2013	
Fitwood FWD	86-92	B						2008	2009-3/4		Aries	81-89	B						2012-3/4	2013	
Seville	76-79	B	1702	1703	1704	1705	1706	2008	2009-3/4		Colt	81-86	T						1103	1106	
												87-90	B						1303		
											Daytona	84-93	B						2012-3/4	2013	
											Dynasty	88-93	B						2012-3/4	2013	
											Lancer	85-89	B						2012-3/4	2013	
											Shadow	87-94	T						2012-3/4	2013	
											Spirit	89-95	T						2012-3/4	2013	



COIL SPACERS



Coil Spring Spacers

Coil Spring Spacers Cars/Vans

Make/Model	Year	Top or Bottom	Front				Rear		
			3/8"	1/2"	5/8"	3/4"	1"	1/2"	1"
FORD									
Crown Vic./ LTD	49-78	T	2006	2007					
	49-97	B	1702	1703	1704	1705	1706		
	65-78	B						1614	1615 1616
	79-03	T or B						1621	1627 1628
	98-03	B	1903		1905	1906			
Escort/EXP	81-86	B	1303					1303	
	87-90	B	1102	1103	1104	1105	1106		
	91-96	T						1615	1616
Fairlane	66-70	T			2012	2013			
Fairmont	78-83	B	1502	1503	1504	1505	1506		
	78-83	T						2007	
Falcon	60-70	T			2012	2013			
Granada	75-80	T			2012	2013			
	81-83	B	1502	1503	1504	1505	1506		
	81-83	T						2007	
LTD II	82-86	B	1502	1503	1504	1505	1506		
	82-86	T						2007	
Maverick	69-77	T			2012	2013			
Mustang/ Mustang II	65-73	T			2012	2013			
	74-96	B	1102	1103	1104	1105	1106		
	80-96	T						2007	
Pinto	71-80	B	1102	1103	1104	1105	1106		
Taurus/Wagon	86-95	B	1702	1703	1704	1705	1706		
Tempo	84-94	B	1502	1503	1504	1505	1506	1703	1706
Thunderbird	61-71	T		2008	2009				
	67-79	B	1702	1703	1704	1705	1706		
	80-88	T						2007	
	80-97	B	1502	1503	1504	1505	1506		
	89-97	T						2008	2009-3/4
Torino	68-71	T			2012	2013			
	72-79	T or B						1614	1615 1616
	72-81	B	1702	1703	1704	1705	1706		
	80-81	T or B						1621	1627 1628
LINCOLN									
Continental	49-60	T		2008	2009				
	61-78	T	2006	2007					
	70-79	B						1614	1615 1616
	80-81	T or B						1621	1627 1628
	82-84	B	1502	1503	1504	1505	1506	1621	1627 1628
	82-84	T						2007	
Lincoln	82-84	B	1702	1703	1704	1705	1706		
	82-84	T or B						1621	1627 1628
Town Car	80-93	B	1702	1703	1704	1705	1706		
	80-93	T or B						1621	1627 1628

Make/Model	Year	Top or Bottom	Front				Rear		
			3/8"	1/2"	5/8"	3/4"	1"	1/2"	1"
MERCURY									
Bobcat	75-80	B	1102	1103	1104	1105	1106		
Capri	79-86	B	1102	1103	1104	1105	1106		
	79-86	T						2007	
Comet	60-77	T				2012	2013		
Cougar	67-73	T				2012	2013		
	74-79	B	1702	1703	1704	1705	1706	1614	1615 1616
	80-97	B	1502	1503	1504	1505	1506		
	80-88	T						2007	
	89-97	T						2008	2009-3/4
Grand Marquis	79-97	B	1702	1703	1704	1705	1706		
	79-00	T or B						1621	1627 1628
	98-00	B		1903		1905	1906		
Lynx/LN7	82-84	B		1303					
	82-87	T						1615	1616
Marquis	82-86	B	1502	1503	1504	1505	1506		
	80-86	T						2007	
Mercury	52-78	T	2006	2007					
	52-82	B	1702	1703	1704	1705	1706		
	56-78	B						1614	1615 1616
	79-82	T or B						1621	1627 1628
Monarch	75-80	T		2011		2012	2013		
Montego	68-71	T				2012	2013		
	72-76	B	1702	1703	1704	1705	1706	1614	1615 1616
Sable	86-95	B	1702	1703	1704	1705	1706		
Topaz	84-90	B	1502	1503	1504	1505	1506	1703	1706
Zephyr	78-83	B	1502	1503	1504	1505	1506		
	78-83	T						2007	
OLDSMOBILE									
88	55-85	B	1702	1703	1704	1705	1706		
	61-63	T						1601	1602 1603
	64-76	T or B						1621	1622 1620
	65-85	T		2008		2009			
	77-85	T or B						1621	1627 1628
	86-96	B						2008	2009-3/4
98	55-84	B	1702	1703	1704	1705	1706		
	64-76	T or B						1621	1622 1620
	65-84	T		2008		2009			
	77-84	T or B						1621	1627 1628
	85-97	B						2008	2009-3/4
Achieva	92-94	B						1621	
Calais	85-91	B		1303				1621	1627 1628
Custom	74-92	B	1702	1703	1704	1705	1706		
Cruiser	74-92	T or B						1621	1627 1628
Cutlass/ F-85 RWD	61-66	B						1601	1602 1603
	64-72	B	1102	1103	1104	1105	1106		
	67-88	T or B						1621	1627 1628
	73-88	B	1702	1703	1704	1705	1706		
Cutlass Cierra	82-96	B	1102	1103	1104	1105	1106		
	82-96	T						1621	1627 1628
Firenza	82-88	B						1621	1627 1628
	83-88	B		1303					
Omega	72-74	B	1102	1103	1104	1105	1106		
	75-79	B	1702	1703	1704	1705	1706		
	80-84	B	1102	1103	1104	1105	1106		
	80-84	T						1621	1627 1628
Starfire	75-81	T	1102	1103	1104	1105	1106		
	75-81	B						1621	1627 1628
Toronado	71-78	T or B						1621	1622 1620
	78-85	T						2008	2009-3/4



Coil Spring Spacers Trucks/SUVs

Make/Model	Year	Top or Bottom	Front					Rear			Make/Model	Year	Top or Bottom	Front					Rear		
			3/8"	1/2"	5/8"	3/4"	1"	1/2"	1"	1-1/2"				3/8"	1/2"	5/8"	3/4"	1"	1/2"	1"	1-1/2"
4WD																					
CHEVROLET																					
Suburban 1500	02-04	B						1621	1627	1628								1602	1603		
Tahoe	02-04	B						1621	1627	1628											
Trailblazer	02-07	B						1621	1627	1628											
FORD																					
Bronco	66-79	B				1711-1"	1712-1.5"														
	66-79	T		1714		1716	1718														
	80-88	B					1619														
	80-96	T		1724		1726	1728														
	*89-96	B		1617		1618	1619														
Bronco II	83-89	B				1618	1619														
	90	B		1817		1818	1819														
Explorer	90-94	B		1817		1818	1819														
Ranger	83-89	B				1618	1619														
	90-97	B		1817		1818	1819														
F-100, 150	66-79	B				1711-1"	1712-1.5"														
	66-79	T		1714		1716	1718														
	80-88	B					1619														
	80-96	T		1724		1726	1728														
	*89-96	B		1617		1618	1619														
	04-09	T		1703	1704	1705	1706														
GMC																					
Envoy	02-07	B						1621	1627	1628											
Yukon/ Yukon XL	02-04	B						1621	1627	1628											
JEEP																					
Cherokee XJ/ Wagoneer XJ	84-01	B	1702	1703	1704	1705	1706														
Grand Cher.	93-98	B	1702	1703	1704	1705	1706	1703	1706												
Wrangler TJ	97-04	B	1702	1703	1704	1705	1706														
RWD																					
CHEVROLET																					
El Camino	64-66	B																1602	1603		
	64-72	B	1102	1103	1104	1105	1106														
	67-77	T or B																1621	1622		
	73-87	B	1702	1703	1704	1705	1706														
	77-87	T or B																1621	1627		
C10, 20, 30	60-71	T or B																1602	1603		
	63-87	B	1702	1703	1704	1705	1706														
C1500, 2500, Except HD	88-06	B				1903	1905	1906													
	88-06	T				2008	2009														
C3500 Except HD	88-01	B				1903	1905	1906													
	88-01	T				2008	2009														
S10	82-03	B	1702	1703	1704	1705	1706														
Suburban	64-91	B	1702	1703	1704	1705	1706														
	92-04	B				1903	1905	1906													
Tahoe	92-04	B				1903	1905	1906													
	02-04	B																1621	1627		
Trailblazer	02-07	B																1621	1627		
DODGE																					
D-50	79-81	B	1102	1103	1104	1105	1106														
Dakota	86-03	B	1702	1703	1704	1705	1706														
D-100, 150, 200	71-93	B				1903	1905	1906													
250, 300, 350																					
Ramcharger	75-81	B				1903	1905	1906													
Ram 50	82-90	B	1102	1103	1104	1105	1106														
R1500, 2500, 3500	94-07					1903	1905	1906													
FORD (see page 86 for longer coil spring bolt)																					
Courier	73-83	B									1303										
Excursion	00-04	B										1618	1619								
Excursion	00-04	T		1724		1726	1728														
Expedition	97-02	B	1702	1703	1704	1705	1706														
	03-04	T	1702	1703	1704	1705	1706														
F-100, 250	65-70	T	1702	1703	1704	1705	1706														
F-100, 150, 250, 350	65-88	B				1617	1618	1619													
	*89-96	B					1618	1619													
F-100, 150, 250 under	71-79	T	1702	1703	1704	1705	1706														
	80-96	T				1724	1726	1728													
6900 GVW	97-03	B	1702	1703	1704	1705	1706														
F-250, 350 over	80-04	T				1724	1726	1728													
	98-04	B					1618	1619													
6900 GVW																					
Ranchero	68-71	T										2012	2013								
	72-79	B	1702	1703	1704	1705	1706	1614	1615	1616											
Ranger	82-89	B										1618	1619								
	90-97	B				1817	1818	1819													
	98-04	B	1702	1703	1704	1705	1706														
GMC																					
C15, 25, 35	60-71	T or B																1602	1603		
C1500, 2500, 3500	63-87	B	1702	1703	1704	1705	1706														
	88-06	B				1903	1905	1906													
Except HD	88-06	T				2008	2009														
Envoy	02-07	B																1621	1627		
S-15	82-03	B	1702	1703	1704	1705	1706														
Sprint/ Caballero	71-72	B	1102	1103	1104	1105	1106														
	71-77	T or B										1621	1622	1620							
	73-87	B	1702	1703	1704	1705	1706														
	78-87	T or B										1621	1627	1628							
Yukon	02-04	B				1903	1905	1906													
	02-04	B										1621	1627	1628							
Yukon XL	00-04	B				1903	1905	1906													

**Measure length of stud above nut holding in spring. Add 1/8" to above measurement. That is the maximum thickness of spacer recommended without changing bolt. Discard plastic spring silencer.*